



## AR-S15 - Screws with cylinder head, hexagonal socket, washer



### Details:

- **Material: see table**
- Screw DIN 912 (ISO 4762) hexagon socket
- Washer DIN 6902 A (DIN 125 A) flat

| Symbol       | Ext. thread<br>AG | Thread length<br>L | ØAD  | ØAD2 | H    | H2   | Socket | Material              |
|--------------|-------------------|--------------------|------|------|------|------|--------|-----------------------|
|              |                   | [mm]               | [mm] | [mm] | [mm] | [mm] |        |                       |
| AR-S15-52502 | M2.5              | 6                  | 4.5  | 6    | 2.5  | 0.6  | SW2    | Steel 8.8 zinc-plated |
| AR-S15-52481 | M2.5              | 6                  | 4.5  | 6    | 2.5  | 0.6  | SW2    | Stainless steel A2    |
| AR-S15-52503 | M2.5              | 8                  | 4.5  | 6    | 2.5  | 0.6  | SW2    | Steel 8.8 zinc-plated |
| AR-S15-52497 | M2.5              | 8                  | 4.5  | 6    | 2.5  | 0.6  | SW2    | Stainless steel A2    |
| AR-S15-52504 | M2.5              | 10                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Steel 8.8 zinc-plated |
| AR-S15-52498 | M2.5              | 10                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Stainless steel A2    |
| AR-S15-52505 | M2.5              | 12                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Steel 8.8 zinc-plated |
| AR-S15-52499 | M2.5              | 12                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Stainless steel A2    |
| AR-S15-52506 | M2.5              | 16                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Steel 8.8 zinc-plated |
| AR-S15-52500 | M2.5              | 16                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Stainless steel A2    |
| AR-S15-52507 | M2.5              | 20                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Steel 8.8 zinc-plated |
| AR-S15-52501 | M2.5              | 20                 | 4.5  | 6    | 2.5  | 0.6  | SW2    | Stainless steel A2    |
| AR-S15-40622 | M3                | 6                  | 5.5  | 7    | 3    | 0.6  | SW2.5  | Steel 8.8 zinc-plated |
| AR-S15-34478 | M3                | 6                  | 5.5  | 7    | 3    | 0.6  | SW2.5  | Stainless steel A2    |
| AR-S15-45978 | M3                | 8                  | 5.5  | 7    | 3    | 0.6  | SW2.5  | Steel 8.8 zinc-plated |
| AR-S15-34479 | M3                | 8                  | 5.5  | 7    | 3    | 0.6  | SW2.5  | Stainless steel A2    |
| AR-S15-46956 | M3                | 10                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Steel 8.8 zinc-plated |
| AR-S15-34480 | M3                | 10                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Stainless steel A2    |
| AR-S15-46957 | M3                | 12                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Steel 8.8 zinc-plated |
| AR-S15-46987 | M3                | 12                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Stainless steel A2    |
| AR-S15-46958 | M3                | 16                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Steel 8.8 zinc-plated |
| AR-S15-46988 | M3                | 16                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Stainless steel A2    |
| AR-S15-46959 | M3                | 20                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Steel 8.8 zinc-plated |
| AR-S15-46989 | M3                | 20                 | 5.5  | 7    | 3    | 0.6  | SW2.5  | Stainless steel A2    |

| Symbol       | Ext. thread<br>AG | Thread length<br>L | ØAD  | ØAD2 | H    | H2   | Socket | Material              |
|--------------|-------------------|--------------------|------|------|------|------|--------|-----------------------|
|              |                   | [mm]               | [mm] | [mm] | [mm] | [mm] |        |                       |
| AR-S15-46960 | M4                | 6                  | 7    | 9    | 4    | 0.8  | SW3    | Steel 8.8 zinc-plated |
| AR-S15-46961 | M4                | 8                  | 7    | 9    | 4    | 0.8  | SW3    | Steel 8.8 zinc-plated |
| AR-S15-34481 | M4                | 8                  | 7    | 9    | 4    | 0.8  | SW3    | Stainless steel A2    |
| AR-S15-46962 | M4                | 10                 | 7    | 9    | 4    | 0.8  | SW3    | Steel 8.8 zinc-plated |
| AR-S15-34482 | M4                | 10                 | 7    | 9    | 4    | 0.8  | SW3    | Stainless steel A2    |
| AR-S15-46963 | M4                | 12                 | 7    | 9    | 4    | 0.8  | SW3    | Steel 8.8 zinc-plated |
| AR-S15-46990 | M4                | 12                 | 7    | 9    | 4    | 0.8  | SW3    | Stainless steel A2    |
| AR-S15-46977 | M4                | 16                 | 7    | 9    | 4    | 0.8  | SW3    | Steel 8.8 zinc-plated |
| AR-S15-46991 | M4                | 16                 | 7    | 9    | 4    | 0.8  | SW3    | Stainless steel A2    |
| AR-S15-46978 | M4                | 20                 | 7    | 9    | 4    | 0.8  | SW3    | Steel 8.8 zinc-plated |
| AR-S15-46992 | M4                | 20                 | 7    | 9    | 4    | 0.8  | SW3    | Stainless steel A2    |
| AR-S15-46979 | M5                | 6                  | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-46980 | M5                | 8                  | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-46993 | M5                | 8                  | 8.5  | 10   | 5    | 1    | SW4    | Stainless steel A2    |
| AR-S15-46981 | M5                | 10                 | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-46994 | M5                | 10                 | 8.5  | 10   | 5    | 1    | SW4    | Stainless steel A2    |
| AR-S15-46982 | M5                | 12                 | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-46995 | M5                | 12                 | 8.5  | 10   | 5    | 1    | SW4    | Stainless steel A2    |
| AR-S15-34244 | M5                | 16                 | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-46996 | M5                | 16                 | 8.5  | 10   | 5    | 1    | SW4    | Stainless steel A2    |
| AR-S15-46983 | M5                | 20                 | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-36780 | M5                | 20                 | 8.5  | 10   | 5    | 1    | SW4    | Stainless steel A2    |
| AR-S15-51821 | M5                | 25                 | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-43892 | M5                | 25                 | 8.5  | 10   | 5    | 1    | SW4    | Stainless steel A2    |
| AR-S15-51953 | M5                | 30                 | 8.5  | 10   | 5    | 1    | SW4    | Steel 8.8 zinc-plated |
| AR-S15-51136 | M5                | 30                 | 8.5  | 10   | 5    | 1    | SW4    | Stainless steel A2    |
| AR-S15-46984 | M6                | 10                 | 10   | 12   | 6    | 1.6  | SW5    | Steel 8.8 zinc-plated |
| AR-S15-47052 | M6                | 10                 | 10   | 12   | 6    | 1.6  | SW5    | Stainless steel A2    |
| AR-S15-46985 | M6                | 12                 | 10   | 12   | 6    | 1.6  | SW5    | Steel 8.8 zinc-plated |
| AR-S15-47053 | M6                | 12                 | 10   | 12   | 6    | 1.6  | SW5    | Stainless steel A2    |
| AR-S15-46986 | M6                | 16                 | 10   | 12   | 6    | 1.6  | SW5    | Steel 8.8 zinc-plated |
| AR-S15-47054 | M6                | 16                 | 10   | 12   | 6    | 1.6  | SW5    | Stainless steel A2    |
| AR-S15-46234 | M6                | 20                 | 10   | 12   | 6    | 1.6  | SW5    | Steel 8.8 zinc-plated |
| AR-S15-47055 | M6                | 20                 | 10   | 12   | 6    | 1.6  | SW5    | Stainless steel A2    |
| AR-S15-49897 | M6                | 25                 | 10   | 12   | 6    | 1.6  | SW5    | Steel 8.8 zinc-plated |
| AR-S15-47056 | M6                | 25                 | 10   | 12   | 6    | 1.6  | SW5    | Stainless steel A2    |
| AR-S15-51486 | M6                | 30                 | 10   | 12   | 6    | 1.6  | SW5    | Steel 8.8 zinc-plated |
| AR-S15-35601 | M6                | 30                 | 10   | 12   | 6    | 1.6  | SW5    | Stainless steel A2    |
| AR-S15-46943 | M8                | 12                 | 13   | 16   | 8    | 2    | SW6    | Steel 8.8 zinc-plated |
| AR-S15-47057 | M8                | 12                 | 13   | 16   | 8    | 2    | SW6    | Stainless steel A2    |
| AR-S15-42800 | M8                | 16                 | 13   | 16   | 8    | 2    | SW6    | Steel 8.8 zinc-plated |
| AR-S15-47058 | M8                | 16                 | 13   | 16   | 8    | 2    | SW6    | Stainless steel A2    |
| AR-S15-36120 | M8                | 20                 | 13   | 16   | 8    | 2    | SW6    | Steel 8.8 zinc-plated |
| AR-S15-47059 | M8                | 20                 | 13   | 16   | 8    | 2    | SW6    | Stainless steel A2    |
| AR-S15-46236 | M8                | 25                 | 13   | 16   | 8    | 2    | SW6    | Steel 8.8 zinc-plated |
| AR-S15-47060 | M8                | 25                 | 13   | 16   | 8    | 2    | SW6    | Stainless steel A2    |
| AR-S15-51954 | M8                | 30                 | 13   | 16   | 8    | 2    | SW6    | Steel 8.8 zinc-plated |
| AR-S15-51955 | M8                | 30                 | 13   | 16   | 8    | 2    | SW6    | Stainless steel A2    |
| AR-S15-42503 | M10               | 16                 | 16   | 20   | 10   | 2.5  | SW8    | Steel 8.8 zinc-plated |
| AR-S15-47061 | M10               | 16                 | 16   | 20   | 10   | 2.5  | SW8    | Stainless steel A2    |
| AR-S15-46233 | M10               | 20                 | 16   | 20   | 10   | 2.5  | SW8    | Steel 8.8 zinc-plated |
| AR-S15-47062 | M10               | 20                 | 16   | 20   | 10   | 2.5  | SW8    | Stainless steel A2    |
| AR-S15-46232 | M10               | 25                 | 16   | 20   | 10   | 2.5  | SW8    | Steel 8.8 zinc-plated |
| AR-S15-47063 | M10               | 25                 | 16   | 20   | 10   | 2.5  | SW8    | Stainless steel A2    |

| Symbol       | Ext. thread<br>AG | Thread length<br>L | ØAD  | ØAD2 | H    | H2   | Socket | Material              |
|--------------|-------------------|--------------------|------|------|------|------|--------|-----------------------|
|              |                   | [mm]               | [mm] | [mm] | [mm] | [mm] |        |                       |
| AR-S15-48482 | M10               | 30                 | 16   | 20   | 10   | 2.5  | SW8    | Steel 8.8 zinc-plated |
| AR-S15-51956 | M10               | 30                 | 16   | 20   | 10   | 2.5  | SW8    | Stainless steel A2    |